



YOUR WORLD OUR WORLD

# PEARL

VERTICAL MULTI-DECK



### Dimensions (mm):

Height: 2050 / 2200  
Length: Run Cabinets : 1250 / 1875 / 2500 / 2812,5 / 3125 / 3750  
End Cabinets : 1660 / 1875 / 2136  
Depth : 770 / 850 / 950 / 1090

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-2 / 0 -1 / +1 +2 / +4 +4 / +6	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# PEARL

VERTICAL MULTI-DECK with WIDE LOOK DOOR



### Dimensions (mm):

Height : 2050 / 2200  
Length : Run Cabinets : 1250 / 1875 / 2500 / 3750  
End Cabinets : 1660 / 1875 / 2136  
Depth : 850 / 950 / 1090

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# CRYSTAL

VERTICAL MULTI-DECK



### Dimensions (mm):

Height : 2050 / 2200  
Length : 1250 / 1875 / 2136 (HC) / 2500 / 2812,5 / 3125 / 3750  
Depth : 950 / 1020 / 1120

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4 +4 / +6	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# ONIX

VERTICAL MULTI-DECK



### Dimensions (mm):

Height : 2050 / 2200  
Length : 1250 / 1875 / 2136 (HC) / 2500 / 2812,5 / 3125 / 3750  
Depth : 950 / 1020 / 1120

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4 +4 / +6	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# ODENSE

VERTICAL WIDE MULTI-DECK



## VERTICAL MULTI-DECKS

### Dimensions (mm):

Height : 2220  
 Length : 1250 / 1875 / 2500 / 3750  
 Depth : 1185 / 1000 (HC)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER
	-1 / +1 +2 / +4 (for RIM)	

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
 CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# AGATE

WIDE PRODUCE CABINET



### Dimensions (mm):

Height : 2100  
 Length : 1250 / 1875 / 2500 / 3750  
 Depth : 1270

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
 CO<sub>2</sub>: R744

# BRIE

BACK-WALL SERVICE CABINET



### Dimensions (mm):

Height : 2400  
 Length : 2500  
 Depth : 921

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
 CO<sub>2</sub>: R744



YOUR WORLD OUR WORLD

SEMI VERTICAL MULTI-DECKS

# OPAL

SEMI VERTICAL MULTI-DECK



### Dimensions (mm):

Height : 1500

Length :

Run Cabinets : 1250 / 1875 / 2500 / 3750

End Cabinets : 1660 / 2136

Depth : 850 / 1000 / 1100

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4 +4 / +6	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744

# LIMESTONE

SEMI VERTICAL PRODUCE CABINET



### Dimensions (mm):

Height : 1600

Length : 1250 / 1875 / 2500 / 3750

Depth : 1270

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744

# VOLENDAM

SEMI VERTICAL MULTI-DECK

# GG



### Dimensions (mm):

Height : 1350

Length : 1250 / 1875 / 2500 / 3750

Depth : 1066

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744



YOUR WORLD OUR WORLD

# CITRINE SERVE - OVER & SELF - SERVICE COUNTERS SQ



**Dimensions (mm):**  
Height : 1200 (Serve Over) / 850 (Self Service)  
Length :  
Run Cabinets : 1250 / 1875 / 2500 / 3125 / 3750  
Corner Cabinets : EC45° / EC90° / IC45° / IC90°  
Depth : 1027 / 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# CITRINE SERVE - OVER & SELF - SERVICE COUNTERS CG



**Dimensions (mm):**  
Height : 1225 (Serve Over) / 850 (Self Service)  
Length :  
Run Cabinets : 1250 / 1875 / 2500 / 3750  
Corner Cabinets : EC45° / EC90° / IC45° / IC90°  
Depth : 1032 / 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# CITRINE SERVE - OVER & SELF - SERVICE COUNTER CONVERTIBLE



**Dimensions (mm):**  
Height : 1200  
Length : 1250 / 2500 / 3750  
Depth : 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# CITRINE SERVE - OVER COUNTER ORIEL



**Dimensions (mm):**  
Height : 1200  
Length : 1250  
Depth : 1489

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	+2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# CITRINE

SELF - SERVICE COUNTER

# LOW BASE



**Dimensions (mm):**  
 Height : 850  
 Length : 1250 / 1875 / 2500 / 3750  
 Depth : 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> Glycol / Water

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A  
 CO<sub>2</sub>: R744 • GLYCOL/WATER: R718

# CITRINE

SERVE - OVER COUNTER  
with INTEGRATED STORAGE

# STORAGE



**Dimensions (mm):**  
 Height : 1200 (SQ) / 1225 (CG)  
 Length : 1250 / 1875 / 2500 / 3750  
 Depth : 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> Glycol / Water

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A  
 CO<sub>2</sub>: R744 • GLYCOL/WATER: R718

# CITRINE

STATIC SERVE - OVER COUNTER

# MEAT



**Dimensions (mm):**  
 Height : 1200 (SQ) / 1225 (CG)  
 Length : 1250 / 1875 / 2500 / 3750  
 Depth : 1170 (SQ) / 1195 (CG)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1	HFC blend HFC/HFO blend

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A

# CITRINE

STATIC SELF - SERVICE & SERVE - OVER COUNTERS

# FISH



**Dimensions (mm):**  
 Height : 1200 (SQ) / 1225 (CG)  
 Length : 1250 / 1875 / 2500 / 3750  
 Depth : 1170 (SQ) / 1195 (CG)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1	HFC blend HFC/HFO blend

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A



YOUR WORLD OUR WORLD

# CITRINE

COMBINED SERVE - OVER COUNTER

## DOUBLE DECK



### Dimensions (mm):

Height : 1250 (SQ) / 1275 (CG)  
Length : 1250 / 1875 / 2500 / 3750  
Depth : 1467 / 1587

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# CITRINE

DOUBLE WELL SELF - SERVICE COUNTER

## DOUBLE WELL



### Dimensions (mm):

Height : 850  
Length : 1250 / 1875 / 2500 / 3750  
Depth : 2000 / 1000 (HC)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# CITRINE

SELF - SERVICE PIZZA COUNTER

## PIZZA



### Dimensions (mm):

Height : 917  
Length : 1250 / 2500 / 3125 / 3750  
Depth : 1151

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	+2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# CITRINE

SERVE - OVER COUNTER

## TOWER



### Dimensions (mm):

Height : 1554  
Length : 1250 / 2500  
Depth : 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	+2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> GLYCOL/WATER

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# CITRINE

SELF - SERVICE COUNTER

# PATISSERIE



Dimensions (mm):  
 Height : 1554  
 Length : 1250 / 2500  
 Depth : 1150

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	+3 / +5	HFC blend HFC/HFO blend CO <sub>2</sub> Glycol / Water

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A  
 CO<sub>2</sub>: R744 • GLYCOL/WATER: R718

# CITRINE

SERVE - OVER HOT COUNTER

# BAIN MARIE



Dimensions (mm):  
 Height : 1200 (SQ) / 1225 (CG)  
 Length : 1250 / 1875 / 2500 / 3750  
 Depth : 1027 / 1150

SYSTEM	OPERATING TEMP. °C
BAIN MARIE	+79 / +82

# CITRINE

SERVE - OVER HOT COUNTER

# HOT PLATE



Dimensions (mm):  
 Height : 1200 (SQ) / 1225 (CG)  
 Length : 1250 / 1875 / 2500 / 3750  
 Depth : 1027 / 1150

SYSTEM	OPERATING TEMP. °C
HOT	+65 / +70

# CITRINE

SELF - SERVICE COUNTERS

# GRAB & GO



Dimensions (mm):  
 Height : 1206 / 1220 / 1500  
 Length : 1250 / 1875 / 2500 / 3750  
 Depth : 1129

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> Glycol / Water

HFC: R407A / R407F / R134a / R404A • HFC/HFO: R448A / R449A / R452A / R450A  
 CO<sub>2</sub>: R744 • GLYCOL/WATER: R718



YOUR WORLD OUR I

# AMBER

SELF - SERVICE COUNTER



Dimensions (mm):  
Height : 1100 / 1305  
Length : 1250 / 2500 / 3750  
Depth : 1320

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744

# KEHRIBAR

SERVE - OVER COUNTER



Dimensions (mm):  
Height : 1150  
Length : 1250 / 1875 / 2500 / 3750  
Depth : 870

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	+3 / +5	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC/HFO: R448A / R449A / R452A / R450A

# TREVISO

SERVE - OVER COUNTER

# TREVISO DD



Dimensions (mm):  
Height : 1180  
Length : 1875 / 2500 / 3750  
Depth : 1177 · 1608 (DD)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub> Glycol / Water

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744 · GLYCOL/WATER: R718

# VOLENDAM

COMBINED SERVE - OVER COUNTER



Dimensions (mm):  
Height : 1353  
Length : 1250 / 1875 / 2500 / 3750  
Depth : 1176

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-1 / +1 +2 / +4	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R134a / R404A · HFC/HFO: R448A / R449A / R452A / R450A  
CO<sub>2</sub>: R744





YOUR WORLD OUR WORLD

# SVEA

FROZEN FULL GLASS DOOR CABINET



**Dimensions (mm):**

Height : 2070 / 2230  
Length : 1562 (2dr) / 2343 (3dr) / 3124 (4dr) / 3905 (5dr)  
Depth : 1020

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A  
CO<sub>2</sub>: R744

# SVEA

FROZEN FULL GLASS DOOR CABINET  
with WIDE LOOK DOOR

# SKY



**Dimensions (mm):**

Height : 2070 / 2230  
Length : 1562 (2dr) / 2343 (3dr) / 3124 (4dr) / 3905 (5dr)  
Depth : 1020

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A  
CO<sub>2</sub>: R744

# PLATIN

ISLAND FREEZERS



**PLATIN DW 2040**

**Dimensions (mm):**  
Height : 920  
Length : 1875 / 2500 / 3750  
2040 (End Cabinet)  
Depth : 2040

**PLATIN SC 2080**

**Dimensions (mm):**  
Height : 920  
Length : 1875 / 2500 / 3750  
2074 (End Cab net)  
Depth : 2074

**PLATIN SW 1480**

**Dimensions (mm):**  
Height : 920  
Length : 1875 / 2500 / 3750  
1485 (End Cabinet)  
Depth : 1485

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A  
CO<sub>2</sub>: R744

# GOLD

FROZEN WELL ONLY CABINET

# WALL



**Dimensions (mm):**

Height : 920  
Length : 1875 / 2500 / 3750  
Depth : 990

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A  
CO<sub>2</sub>: R744

# GOLD

FROZEN WELL ONLY CABINET

# GLASS



**Dimensions (mm):**

Height : 920  
Length : 1875 / 2500 / 3750  
Depth : 1010

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A  
CO<sub>2</sub>: R744

# GOLD

FROZEN WELL ONLY CABINET

# GLASS WIDE



**Dimensions (mm):**

Height : 920  
Length : 1875 / 2500 / 3750  
Depth : 1480

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A  
CO<sub>2</sub>: R744

# TURMALINE

COMBINED FROZEN CABINET  
with GLASS DOOR TOP



**Dimensions (mm):**

Height : 2050 / 2200  
Length : 1875 / 2500 / 3750  
Depth : 1187

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A  
CO<sub>2</sub>: R744

# TURMALINE

COMBINED FROZEN CABINET  
with WIDE LOOK GLASS DOOR TOP

# SKY



**Dimensions (mm):**

Height : 2020 / 2220  
Length : 1875 / 2500 / 3750  
Depth : 1160

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
REMOTE	-22 / -24	HFC blend HFC/HFO blend CO <sub>2</sub>

HFC: R407A / R407F / R404A • HFC/HFO: R448A / R449A / R452A  
CO<sub>2</sub>: R744



YOUR WORLD OUR WORLD

# BIBURY CHILLED

NARROW VERTICAL INTEGRAL CABINET



Dimensions (mm):  
Height : 2059  
Length : 1250 / 1875 / 2500  
Depth : 830

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4 +4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# BIBURY FROZEN

FROZEN NARROW VERTICAL INTEGRAL CABINET



Dimensions (mm):  
Height : 2054  
Length : 1250 / 1875 / 2500  
Depth : 830

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN NEGATIVE	-22 / -24 -20 / -22	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A

# BIBURY DUAL

NARROW COMBINED VERTICAL INTEGRAL CABINET



Dimensions (mm):  
Height : 2054  
Length : 1404  
Depth : 810

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
DUAL PLUG-IN (CHILLER & FREEZER)	Chilled Section -1 / +1 +2 / +4	HC HFC blend HFC/HFO blend
	Frozen Section -22 / -24 -20 / -22	

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A

# SEDEF

VERTICAL INTEGRAL CABINET



Dimensions (mm):  
Height : 2072  
Length : 1250 / 1875 / 2500  
Depth : 778

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4 +4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# AZURIT

FROZEN FULL GLASS DOOR INTEGRAL CABINET



Dimensions (mm):  
 Height : 2070  
 Length : 1250 / 1875 / 2500  
 Depth : 878

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN NEGATIVE	-22 / -24 -20 / -22	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R404A HFC / HFO: R448A / R449A / R452A

# SEDEF

SUPER NARROW VERTICAL INTEGRAL CABINET

# SUPER SLIM



Dimensions (mm):  
 Height : 2070  
 Length : 1000  
 Depth : 713

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
 HFC / HFO: R448A / R449A / R452A / R450A

# SEDEF

VERTICAL INTEGRAL CABINET

# TCS 625



Dimensions (mm):  
 Height : 2065  
 Length : 625  
 Depth : 744

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
 HFC / HFO: R448A / R449A / R452A / R450A

# GRANIZADO

SUPER NARROW VERTICAL INTEGRAL CABINET



Dimensions (mm):  
 Height : 2205  
 Length : 1200  
 Depth : 542

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
 HFC / HFO: R448A / R449A / R452A / R450A



YOUR WORLD OUR WORLD

# OPAL

SEMI - VERTICAL INTEGRAL CABINET

# PL



Dimensions (mm):

Height : 1500  
Length : 1250 / 1875 / 2500 / 3750  
Depth : 850

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4 +4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# OPAL CAKE

SEMI - VERTICAL INTEGRAL CABINET

# INTEGRAL



Dimensions (mm):

Height : 1385  
Length : 937,5 / 1250 / 1400 (HC)  
Depth : 742

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A

# THERMEDON

SEMI - VERTICAL INTEGRAL CABINET



Dimensions (mm):

Height : 1250  
Length : 900  
Depth : 754

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# AVENTURIN

SELF - SERVICE INTEGRAL COUNTER

# H



Dimensions (mm):

Height : 1277  
Length : 1250  
Depth : 1093

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-2 / 0 -1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# CITRINE

SELF - SERVICE INTEGRAL COUNTER

## 800 SS PL



**Dimensions (mm):**

Height : 1133  
Length : 1250  
Depth : 1100

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# FLORIT

SELF - SERVICE PRODUCE INTEGRAL COUNTER

## PRODUCE



**Dimensions (mm):**

Height : 1396  
Length : 1250 / 1875  
Depth : 1360

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+3 / +5	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# BERIL

SERVE - OVER INTEGRAL COUNTER

## STORAGE PL



**Dimensions (mm):**

Height : 1314  
Length : 1250 / 1875 / 2500 / 3750  
Depth : 1202 (CG) / 1242 (SQ)

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# CITRINE

SERVE - OVER INTEGRAL COUNTER

## 900 CG

## FISH



**Dimensions (mm):**

Height : 1145  
Length : 1250 / 1875 / 2500 / External Corner 90°  
Depth : 1180

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A



YOUR WORLD OUR WORLD

# FISH

SERVE - OVER INTEGRAL COUNTER

# SLAB



### Dimensions (mm):

Height : 1162  
Length : 1250 / 2500  
Depth : 1012

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# LIV

WELL ONLY SELF - SERVICE INTEGRAL CABINET



### Dimensions (mm):

Height : 1410  
Length : 1646  
Depth : 940

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# MANHATTAN

WELL ONLY INTEGRAL CABINET  
FROZEN WELL ONLY INTEGRAL CABINET  
WELL ONLY BI-TEMP INTEGRAL CABINET



### Dimensions (mm):

Height : 941  
Length : 1000 / 1500  
Depth : 1040

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN POSITIVE	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend
PLUG-IN NEGATIVE	-22 / -24 -20 / -22	
PLUG-IN BI-TEMP	CHILLED -1/+1 +2/+4	HC HFC blend HFC/HFO blend
	FROZEN -22/-24 -20/-22	

HC: R290 / R1270 · HFC: R407A / R407F / R404A · HFC / HFO: R448A / R449A / R452A

# GOLD

FROZEN WELL ONLY INTEGRAL CABINET

# WALL INTEGRAL



### Dimensions (mm):

Height : 1000  
Length : 1250 (incl. side walls)  
Depth : 1100

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN NEGATIVE	-22 / -24	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R404A · HFC / HFO: R448A / R449A / R452A

# JASPER

WELL ONLY SELF - SERVICE INTEGRAL CABINET

## SQ



Dimensions (mm):  
Height : 1029  
Length : 1000  
Depth : 1195

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1 +2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# JASPER

WELL ONLY SELF - SERVICE INTEGRAL CABINET



Dimensions (mm):  
Height : 938 / 1250  
Length : 1000  
Depth : 1190

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+2 / +4	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# HARMONIA

SELF - SERVICE INTEGRAL COUNTER

## HELENE



Dimensions (mm):  
Height : 1034  
Length : 1215  
Depth : 1076

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# HARMONIA

SELF - SERVICE INTEGRAL COUNTER

## MYRIA



Dimensions (mm):  
Height : 1034  
Length : 1215  
Depth : 1076

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A





YOUR WORLD OUR WORLD

# INTERLAKEN

WELL ONLY SELF - SERVICE INTEGRAL CABINET



### Dimensions (mm):

Height : 1009  
Length : 1500  
Depth : 840

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	+4 / +6	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# AMATIS

FROZEN FULL GLASS DOOR INTEGRAL CABINET

## 625



### Dimensions (mm):

Height : 2090  
Length : 625  
Depth : 895

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN NEGATIVE	-22 / -24	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A

# SHANNON

VERTICAL INTEGRAL CABINETS

## ∫ SHANNON HYBRID



### Dimensions (mm):

Height : 2063  
Length : 1250 / 1875 / 2500 / 3750  
Depth : 910

SYSTEM	OPERATING TEMP. °C	REFRIGERANT
PLUG-IN	-1 / +1	HC HFC blend HFC/HFO blend

HC: R290 / R1270 · HFC: R407A / R407F / R134a / R404A  
HFC / HFO: R448A / R449A / R452A / R450A