

ares reyon dolapları

serve-over counters



Plug-in

L		1250/1875/2500/2810/3750
W	mm	1100
H		1200



L		1250/1875/2500/2810/3750
W	mm	1100
H		1200



eros reyon dolapları

serve-over counters

leto reyon dolapları

serve-over counters



Plug-in

L		1250/1875/2500/2810/3750
W	mm	1200
H		1275



Plug-in

L		1875/2500/2810/3750
W	mm	1150
H		1340



leo reyon dolapları

serve-over counters



esnek kullanım alanı

flexible usage area



L		937/1250/1875/2500/2810/3750/OC/IC
W	mm	1200
H		1275



altar

reyon dolapları

serve-over counters

Sunduđu geniş hacim ile size etkin kullanım alanı sađlayan altar serisi reyon dolaplarımız, güç tüketimi ve etkin sođutma teknolojisiyle hem işletmenize hem ürünlerinize iyi gelecek.

Altar series serve-over counters offer you an efficient usage with its large interior space, and also make you feel good by its power consumption and effective cooling technology.



rose reyon dolapları

serve-over counters



L		1250/1875/2500/2810/3750/OC
W	mm	1150
H		1200



ponos et yařlandırma dolapları

dry aged cabinets



Plug-in

L		1500/2100
W	mm	900
H		2100



junan stlk dolapları

vertical cabinets



Plug-in

L		1250/1875/2500
W	mm	700
H		2000



Plug-in

L		1250/1875/2500
W	mm	820
H		2000/2200



mina stlk dolapları

vertical cabinets

diamon stlk dolapları

vertical cabinet



L		1250/1875/2500/2810/3750
W	mm	960
H		2000/2200
Gondolbaşı/ Head Cabinet		1920x960x2000/2200



L		1875/2500/3750
W	mm	900
H		1600



Vega stlk dolapları

vertical cabinets

apella

sütlük dolapları
vertical cabinets



Sürgülü Kapı/Siding Door

L		1250/1875/2500/2810/3750
W	mm	950
H		2000/2200



L		1250/1875/2500/2810/3750
W	mm	950
H		2000/2200



Menteşeli Kapı/Hinged Doors



Tek Camlı Kapı/Single-Glass Doors

L		1250/1875/2500/2810/3750
W	mm	950
H		2000/2200



L		1250/1875/2500/2810/3750
W	mm	950
H		2000/2200



apella^{FV} manav dolabı
fruit & vegetable cabinets

megaron kombi derin dondurucu

combined deepfreezers



L		2500/3750
W	mm	1150
H		2000/2200



L		1562/2343/3124/3905
W	mm	950
H		2000/2200



apella^{LT} dikey dondurucular

vertical freezers

mina^{LT} dikey dondurucular

vertical freezers



Plug-in

L		1250/1875/2500
W	mm	820
H		2000/2200



metis havuz derin dondurucu

island freezer



L		1875/2500/3750
W	mm	1600
H		850
Gondolbaşı/ Head Cabinet		1600x1000x850



amor havuz dolapları

island cabinets




Plug-in

L		2020/2640/3890
W	mm	1000
H		980



Plug-in

L		1185
W	mm	990
H		900



pallas havuz dolapları

island cabinets

lavender pasta dolabı

patisserie cabinets



L		1200/1600
W	mm	800
H		1250



aster pasta dolabi

patisserie cabinets



L		900/1200/1600
W	mm	800
H		1400



L		900/1200/1600
W	mm	700
H		1250



lilium pasta dolabi

patisserie cabinets

eliza dondurma ve pasta dolabı

ice-cream and patisserie cabinets



L		1180/1700
W	mm	1200
H		1250



L		1200/1600
W	mm	1200
H		1250



senna pasta dolabi

patisserie cabinets



L		937/1250/1875/2500
W	mm	1150
H		1250



lilium^H pasta dolabı
patisserie cabinets



L	mm	1500/2000
W		700
H		2200



L	mm	800
W		800
H		1900



luca pasta dolabı
patisserie cabinets

dik tip buzdolabi

upright cabinets



L		700/1400
W	mm	700/800
H		2100



L		1500/2000/2550
W	mm	600/700
H		850



tezgah tipi buzdolabi

counter cabinets



COLD STORAGES
SOĞUK HAVA DEPOLARI

www.senolsogutma.com.tr

Merkezi Sistem Soğutma Grupları

Central Cooling Systems

Enerjide
%30-35 tasarruf.

- Düşük ilk yatırım maliyetleri sağlayan merkezi soğutma grupları, pozitif ve negatif gruplar olarak müşteri ihtiyacına uygun kapasitelerde üretilmektedir.
- Yüksek soğutma performansı, geniş kapasite aralığı.
- Soğutmada süreklilik.
- Minimum yer işgali.
- Montaj, bakım ve servis kolaylığı.
- İstenilen değerlere kolayca programlanabilme.
- Merkezi otomasyon sistemlerine bağlanarak bir merkezden izlenme ve kontrol edilebilme.
- Kabinli modellerde cihaz gövdesi; dış hava şartlarına dayanıklı, elektrostatik toz boyalı ve dekoratif görünümlüdür.


**Soğutmanın
Sınırlarını Zorlayın**

Get Beyond The Cooling Limits

30-35%


energy saving.

- Central cooling units, which enable low initial investment costs, are produced in various capacities as positive and negative groups according to customer needs.
- High cooling performance, wide capacity range.
- Cooling durability.
- Space saving.
- Easy installation, maintenance and service.
- Easy programming for required values.
- Monitoring and controlling from main terminal by connecting to central automation systems.
- Closed framed models have an electrostatic powder painted and decorative main body that is resistant to weather conditions.



Hava Soğutmalı Chiller Üniteleri

Air Cooled Chiller Units



Üstün Teknolojimizle
Tanışın!

Meet Advanced Technology!

Yüksek verimlilik

- Açık ve kapalı su devrelerine uygun
- Vidalı kompresörler
- Elektronik genişleme valfleri
- Kilitli kumanda panosu
- Soğutma sistemini gösteren LED ışıklı sinyaller
- +5°C / +15°C soğutma şartlarına uygun
- Kondenzasyon sıcaklığı +45°C / + 57°C
- Yüksek ısıya dayanıklı kondenser seçimi
- Superheat (aşırı ısınma) kontrolü
- 4 Zamanlı kapasite kontrol sistemi
- Akıllı otomasyon (ihtiyaca kadar enerji harcama)
- Yağ seviye kontrolü
- Arıza ve servis zamanlarını kaydetme
- Alarm sistemi

High efficiency

- Compatible to open / closed water cycles
- Screw compressors
- Electronic expansion valves
- Lockable control board
- LED signals showing refrigeration system
- Works between +5°C / +15°C
- Condensation is assumed as + 45 °C / +57°C
- Condensers resistant to high temperatures
- Superheat control
- 4- Staged capacity control system
- Sensible automation (consumes energy according to requirement)
- Oil level control
- Records failure and service times
- Alarm system

